

09/889319

JC18 Rec'd PCT/PTO 13 JUL 2001

- 25 -

## (REPLACEMENT)

CLAIMS

1. (AMENDED) A display device including at least one display cell sealed by one seal member in which an electro-optical converting member is held by two substrates, and having a defective area and normal area in the inside of the seal member; another at least one display cell sealed by another seal member in which the electro-optical converting member is held by two substrates, and having the defective area and normal area in the inside of the seal member; and these display cells being overlapped; characterized in that,

the display cell provided to an opposite side of an observer has an normal area, which is wider than the display cell provided to a side of the observer.

2. (AMENDED) A display device as claimed in claim 1, characterized in that the display cell is a liquid crystal display cell in which the electro-optical converting member consists of a liquid crystal.

3. (AMENDED) A display device as claimed in claim 2, characterized in that the display device is formed by overlapping two liquid crystal display cells, and at least one liquid crystal display cell is a drive cell to which a liquid crystal drive voltage is applied.

4. (AMENDED) A display device as claimed in claim 2, characterized in that the display device is formed by overlapping two liquid crystal display cells, one liquid crystal display cell is a drive cell to which a liquid crystal drive voltage is applied, and the other liquid crystal display cell is a correction cell to which the liquid crystal drive voltage is not applied.

- 26 -

5. (AMENDED) A display device as claimed in claim 4, characterized in that, in the drive cell and the correction cell, one of inside sizes of the seal member of the drive cell and the seal member of the correction cell is larger than the other inside size.

6. (AMENDED) A display device as claimed in claim 4, characterized in that, in the drive cell and the correction cell, one of sizes of an effective display area of the drive cell and an effective display area of the correction cell is larger than the other size of the effective area.

7. (AMENDED) A display device as claimed in claim 5 or 6, characterized in that the liquid crystal panel is structured by overlapping the drive cell with the correction cell, in the form that the defective area having defects of cell-gap and/or of alignment in the vicinity of the inside of the seal member of the drive cell is overlapped in the range of the normal area having no defect of the correction cell.

8. (AMENDED) A display device as claimed in claim 5 or 6, characterized in that the liquid crystal panel is structured by overlapping the drive cell with the correction cell, in the form that the defective area having defects of cell-gap and/or of alignment in the vicinity of the inside of the seal member of the correction cell is overlapped in the range of the normal area having no defect of the correction cell.

